

T. 7, R. 3 W. 1st Mer.

Ind. Boundary 333					228	227	227
					337	2	1
					342	341	330
					342	341	341
					10	11	12
					336	340	331
					336	335	335
					15	14	13
					337	343	332
					342	342	342
					344	343	343
					22	23	24
					337	343	332
					339	338	338
					27	26	25
					339	344	332
					346	345	345
					346	346	345
33	346	34	340	35	344	345	36
330	329	329	329	328	345	345	331

T. 8, R. 3 W. 1st Mer.

Ind. Boundary 354					349	349	
					2	1	
					360	362	354
					361	361	362
					11	12	
					360	362	353
					357	357	
					14	13	
					360	363	353
					362	362	363
					23	24	
					360	363	352
					358	357	
					27	26	
					359	364	352
					363	363	363
					364	364	364
					349	35	36
					360	364	351
					351	350	350

T. 7 R. 3 W. 1st Mer.

327

Township No. 7 Range No. 3 West of the Mer.
Indiana

North Boundary of T. No. 7 R. No. 3 W.
1st Mile West from the N. East corner

- 5.00 Over level land
8.20 Descended to a Water course 4 Mts. wide, runs $\text{N} 20^{\circ} \text{W}$
10.00 Rose a small ascent
17.00 a Hickory 16 ins. dia
22.6 a Water course 12 Mts. wide runs $\text{N} 20^{\circ} \text{W}$ rapid &
ferry, begins immediately to ascend a hill
26.28 a White Oak 24 ins. dia
30.00 Raped over a hill to a stream 18 Mts. wide, runs
 $\text{N} 10^{\circ} \text{W}$, begins immediately to ascend a hill
32.50 a White Oak 26 ins. dia
36.00 Rose the hill
54.00 a Water course 3 Mts. wide runs $\text{N} 5^{\circ} \text{E}$
55.63 a Poplar 18 ins. dia
64.00 a Spring branch runs $\text{N} 15^{\circ} \text{E}$
80.00 Over land of a changing surface, but not termed
hilly timbered with White Oak, Black Oak &
Hickory, Set stake at the corner of Sec. (No. 35 & 36
Town (No. 8 Range No. 3 and at the corner of Sec.
No. 2 & 1 Town (No. 7 Range No. 3 W. a White Oak
30 ins. dia, 60 Mts. dis. bears $\text{N} 5^{\circ} 30' \text{E}$. & a B. Oak
18 " " bears $\text{N} 5^{\circ} 30' \text{W}$ 27 Mts. dis.
Marked & numbered to the plan

West

One Mile West

- 5.78 Descended gradually to a stream 5 Mts. wide runs $\text{N} 10^{\circ} \text{W}$
13.50 a Water course 4 Mts. wide runs $\text{N} 5^{\circ} \text{W}$
17.00 a " " 5 " " " North
21.54 a Black Oak 24 ins. dia
35.00 a Water course 6 Mts. wide, runs $\text{N} 10^{\circ} \text{E}$
39.28 a White Oak 18 ins. dia
40.00 Over land of a surface not hilly

Ms. A. 9. 2. 1. 1st Mer.

- 65.30 a White Oak 20 ins. dia.
72.77 a White Oak 16 " "
78.90 Set stake, came over level land, timbered with
White Oak, Black Oak, Hickory & some Poplar
good Prate land, Intersected the line run from
the corners of Sec. (No. 34 & 35, 27 & 28 T. No. 8 R.
No. 3 & 4 fell 60 Chs. North of the end of that line
established a corner at the North West corner of
Sec. (No. 2) Township, No. 7 Range (No. 3 a Hickory
14 ins. dia. bears N 65° W 40 Chs. dis. & another Co.
16 " " " N 70° E 5 " "
Marked & numbered to the plan.

West. 3rd Mile West

- 6.00 Down a gradual descent to a marshy swamp
covered with Willows, Maple & Elm timber
9.00 a Water course 6 fms. wide, runs SW
11.48 a Maple 20 ins. dia
22.00 Came to the Indian Boundary line. Over
swampy land timbered with Water Maple & Elm
Set stake on the line, a Maple 10 ins. dia. bears
S 65 E 20 fms. dis. & another Do 8 " " "
N 72 W 12 fms. dis. Marked & numbered to the
place.

South Boundary of T. 7 R. 3 W.

1st Mile West from the S. East corner

- 19.66 a Buck 15 ins. dia
21.95 a Dogwood 11 ins. dia
57.95 a White Oak 5 " "
58.00 Top of a most tremendous high bank, from
the foot the land State level & fit for the pro-
-duction of small grain. covered with saplings
& green briars
65.00 the bottom of a deep gutter covered with lime
stones, bears South

- 69.50 South point of a poor & very high ridge
 72.00 a deep gutter
 77.50 Top of a very high ridge
 80.00 The centre of a White Oak 30 ins. dia. on a high ridge from the top of the bank (58 chs.)
 The land poor & unfit for cultivation. Timber Oak, Hickory & some Poplar, Sugar tree &c

West

2nd Mile West

- 34.83 a Buckeye on W. bank of a gutter
 38.00 East bank of Hogan (or Flicks creek) bears S 70° E, has but little water
 43.50 West Bank
 48.63 a Lign 15 ins. dia
 56.39 an Indian Mound North of the line
 60.00 a Water course 12 chs. wide bears N. no water
 63.63 a Sugar tree 16 ins. dia
 75.33 a Spanish Oak 22 ins. dia
 81.42 Intersected the line run from corner of Sections No. 22, 23, 24 & 27 - 56 chs South of the measure, here fixed a post corner of Sec. No. 34 & 35. from which a Sugar tree 10 ins. dia. bears S 28° W 17 chs. & a Sugar tree 14 " " " S 22° E 16 "
 This mile spreadingly, broken, very steep, ridges unfit for cultivation, (marked the trees by the plan - Oct. 28th 1800 - This line was run 34 chs. and left there until a line was brought from corner of Sec. No. 22, 23, 24 & 27 & then continued.

West

3rd Mile West

- 2.34 a Maple 8 ins. dia
 5.50 a gutter bears N. E.
 21.20 a Lign 14 ins. dia.
 32.75 Crossed Captain Kirby's road bearing S 35° W
 35.44 a Black Oak 36 ins. dia
 40.50 Bottom of a deep gutter bears N. no water

S. 7 R. 3 W. 1. Mer

- 54.50 Junction of 2 small Water courses 4 lks. wide, bears East, a little water
- 75.71 a Water course 8 lks. wide bears N.W. no water
- 80.00 a post in a Water course 10 lks. wide bears N. no water, from which an Elm 7 ins. dia. bears N 68° E 21 lks. dis. & a Hickory 11 ins. dia. bears S 64° W 19 lks. dis. This mile exceedingly broken, 3rd mile land timbered as the preceding mile

West 11th Mile West

- 4.59 Indian Boundary, here fixed a post corner between Sect. No. 32 S. 7 & Sec. 5 T. 6 from which a White Oak 11 ins. dia. bears S 33° E 5 3 lks. dis. & a Beech 7 ins. dia. bears N 65° W 20 lks. dis. This fraction one ascent from the post to the boundary, Timber Oak, Beech, Gum &c. This post stands 40.90 lks. North of the 31st Mile post from the Mouth of Kentucky River

East Boundary of S. 7 R. 3 W. of Mer. South. Commenced at the North East corner of the Township, thence South

- 2.25 a Black Oak 20 ins. dia
- 13.18 a White Oak 28 ins. dia, came over level land timbered with White Oak & Hickory
- 18.11 a Water course 4 lks. wide runs West
- 23.00 came over level land
- 33.00 Begin to descend gradually
- 37.00 a Water course 4 lks. wide, runs S 80° W, begin to ascend an easy ascent
- 50.00 Over level land good soil for small grain, begin to descend a steep hill
- 52.00 came to a branch of Gamers's creek, runs S 40° E, 30 lks. wide, rapid and stony
- 56.00 Begin to descend a hill
- 64.50 Rose the hill, begin immediately to descend

- 66.4 a White Oak 20 ins. dia
 73.00 over level land
 78.00 Descended to a Water course 4 lks. wide runs N^WE
 80.00 Rose the side of a hill, came over Prairie land,
 timbered with White Oak, Black Oak & Hickory.
 Set stake at the corner of Sec. No. 1 & 12 Township
 No. 7 Range No. 3 W. of the Mer. & at the corner
 of Sec. No. 6 & 7 Township No. 6 Range No. 2 W.
 from which a White Oak 34 ins. dia. bears N²E
 30 lks. dis. & another White Oak bears South, 29 ins.
 dia. 15 lks. dis. — Marked & numbered to the place

South One Mile South from the N. East corner

- 0.15 a White Oak 29 ins. dia
 21.66 a " " 15 " "
 22.50 a Water course 3 lks. wide runs N^WE
 33.2 a " " 6 " " " N⁶E
 40.00 over land divided into small ridges, gradually
 rising & falling. Timbered with Oak & Hickory
 good land for small grain.

Commenced from the corner of Townships No. 5
 North & 6 2^d Range and 6 & 7 3^d Range West

- 3.00 a Water course 8 lks. wide, Runs E. no water
 16.77 a Buck 12 ins. dia. on a flat much covered with
 saplings and green briars
 45.16 Crossed Captain Hibbys road leading N⁷3E
 has the appearance of being considerably traveled
 47.00 an exceeding deep gutter with an amazing quantity
 of stone in the bottom
 52.74 a Hickory 10 ins. dia. on the N. side of a large ridge
 53.00 (Wilson creek) bears N^WE, the channel very wide,
 from 100 to 300 lks. wide, no running water, some
 standing in ponds, stony bottom
 71.50 top of a poor lime stone ridge rising from the creek
 75.21 a White Oak 12 ins. dia.

- 50.00 From the above Hickory the land I rate a number of small gutters, brass East & much Spice
- 65.58 a Hickory 12 ins. dia. on S. of a ridge
- 76.18 a White Oak 14 ins. dia
- 80.00 a post, from which a Hickory, 6 ins. dia. bears N 76° E 36 lbs. dia & a White Oak 40
S 60° W 11 lbs. dia. This mile good 3rd rate land fit for the production of small grain, the surface generally level, timber Oak, Sugar tree, Ash, Gum Hickory, Poplar, Underbrush Dogwoods saplings & much Spice

North 5th Mile North

- 9.44 a Black Oak 30 ins. dia
- 15.00 a Water course 8 lbs. wide bears N. E. no water
- 19.53 a Hickory 5 ins. dia
- 42.00 a Water course 7 lbs. wide, bears N 60° E no water
- 46.50 a White Oak 6 ins. dia. on S. of a ridge
- 58.00 Intersected a line ran by Mr. Wm. Ludlow, from the last post the soil & timber the same as the preceding mile

Indian or West Boundary of Township No. 7 Range No. 3 West of the Meridian
Commenced at the 31st Mile post on the Indian Boundary line which was run from the N. bank of the Ohio River, opposite to the mouth of the Kentucky River to Fort Recovery

N 5.25 3rd Mile

- 22.45 a White Oak 20 ins. dia
- 28.50 a road leading to Vincennes N 60° E
- 37.00 a Water course descends N. E. 10 lbs. wide, gently rising each side
- 52.90 a White Oak 26 ins. dia. ascending a hill north
- 58.00 crossed a Water course running N 10° W
- 75.00 the last named water course running N 10° E

S. 1 R. 3 W. 1. 1st Mer.

80.00 crossed a Water course 80 lbs. wide descending East
 set a post from which a Cherry 14 ins. dia. bears
 S 57 1/2 W 20 lbs. dia. & a White Oak 14 " " "
 N 6 E 28 lbs. dia. begin to ascend a hill. The last 1/2
 of this mile broken with hills. the 1st 1/2 similar to
 the preceding mile

33rd Mile

4.50 Rose a Hill to a White Oak 10 ins. dia
 10.00 a small Water course descends East
 33.50 a Stream 10 lbs. wide runs S. East, hills each
 side, good water
 80.00 a post from which a White Oak 12 ins. dia. bears
 S 9 E 14 lbs. dia. & a Poplar 12 ins. dia. bears N 60 W
 34 lbs. dia. The last 1/2 mile good farming land, Oak
 Hickory & Poplar timber. the 1st 1/2 broken with hills

34th Mile

16.20 a White Oak 28 ins. dia
 67.50 a creek 50 lbs. wide runs N 60 E
 70.00 crossed a Spring branch running S. E. heads N 10 W
 78.50 crossed last named stream running N 10 W
 80.00 a post from which a White Oak 30 ins. dia. bears
 N 3 W 23 lbs. dia. & a Hickory 10 ins. dia. bears N 50 1/2 W
 31 lbs. dia. Land along this mile generally uneven
 but proper for cultivation

35th Mile

0.20 a Spring branch runs S. East
 21.45 a Black Oak 18 ins. dia
 80.00 a post from which a W. Oak 10 ins. dia. bears
 N 55 1/2 W 12 lbs. dia. & a White Gum 16 ins. dia. bears
 East 28 lbs. dia. - Over level land & well timbered
 with White & Black Oak & Poplar

36th Mile

T. 7 R. 3 W. 1. Mer.

- 18.71 An Elm 22 ins. dia. on the bank of a stream
6 Mts. wide, running S. East
55.95 a White Oak 19 ins. dia. excellent farming land
74.00 crossed a stream 6 Mts. wide running S. E.
80.00 To a Hickory 8 ins. dia. marked & numbered &
notched on 4 sides for a corner or 36th mile post

3rd Mile

- 18.90 a White Oak 18 ins. dia.
54.00 a small stream runs East
80.00 a post from which a maple 12 ins. dia. bears
N 45° E 11 Mts. dis. & a White Gum 5 " " "
N 74° W 28 Mts. dis. This mile generally excellent
farming land, the last 1/4 well adapted to the
production of grass. Timber Oak, Hickory & Poplar

Subdivisions into Two mile blocks

West Between Sec. No. 12 & 13. T. No. 7 R. No. 3 W.

- 7.25 a Black Oak 18 ins. dia.
11.75 a Black Oak 17 " "
60.8 a Hickory 15 ins. dia. from the post, beautiful
timber & fine farming land
61.25 a Water course 10 Mts. wide bears S. W. (no water)
79.00 a White Oak 30 ins. dia.
80.00 a post from which a Span. Oak 18 ins. dia. bears
N 45° E 6 Mts. dis. & a Maple 10 ins. dia. bears S 39° W
11 Mts. dis. This mile 2nd rate land generally level,
some few ascents & descents, beautifully covered with
large Oak, Hickory some Ash & Walnut, scarcely
any under brush— 25th Oct. 1800.

West Between Sec. No. 11 & 14

- 2.96 a Hickory 8 ins. dia.
40.00 a Water course 10 Mts. wide bears S. (no water)
72.13 a White Oak on E. bank of (Hogan's creek) runs
S 20° W, but little water, stony channel a small strip of

Comp'd

S. 7 R. 3 W. 1st Mer.

bottom, from thence up a ridge

- 80.00 a post, from which a Dogwood 12 ins. dia. bears
 N 87° E 15 lks. dia & a Sugar tree 8
 N 83° W 13 lks. dia. This mile good 3rd rate land,
 all moderate ridges fit for the production of
 small grain - Timber Oak, Hickory, some Sugar
 tree, Gum & much covered with saplings and
 green briars - Marked to the place

West Between Sec. No. 10 & 15

- 13.15 a White Oak 40 ins. dia. on W. of a ridge
 14.25 a Water course 9 lks. wide bears S. a rich bottom
 300 lks. wide on the stream
 46.22 a post on the Indian Boundary, from which
 a Hickory 8 ins. dia. bears S 56° E 14½ lks. dia.
 & a White Oak 28 ins. dia. bears N 56° W 22
 lks. dia. From the post the land 2nd rate, timber
 as the preceding mile. Marked the trees by
 the place

North Between Sec. No. 10 & 11

- 14.75 a White Oak 30 ins. dia
 41.00 a Black Oak 13
 46.69 a Swamp Oak 19
 73.73 a Black Walnut 28 ins. dia.
 75.50 a Water course 6 lks. wide bears E. (no water)
 78.36 a White Oak 15 ins. dia
 80.00 a post from which a White Oak 18 ins. dia.
 bears N 67° W 47 lks. dia. & a Gum 9
 " S 43° E 29 lks. dia. This mile runs on the
 points of ridges near the creek, the soil appears
 to be proper for the production of small grain,
 limestone land 3rd rate, timber Oak, Sugar tree,
 some Oak Gum & many saplings and under
 brush

North Between Sect. No. 2 & 3

- 6.00 a small stream 5 lbs. wide, bears S 95 E
 43.66 an Aspen 13 ins. dia.
 49.57 a Hickory 10 ins. dia. fine timber & but little brush
 54.00 a Water course 4 lbs. wide bears E. (no water),
 entered a small rich bottom on the creek
 57.75 a Branch of Hogan 15 lbs. wide, a small
 gentle current
 75.93 Intersected the South Boundary of Township
 No. 8 Range (No. 3, 1.59 lbs. West of a post
 set by Mr. Ludlow, here fixed a post, from which
 a White Oak 33 ins. dia. bears S 15 W 98 lbs. dis.
 & a Gum 20 ins. dia. bears N 12 1/2 W 60 lbs. dis.
 This mile generally good farming land, 3^d rate,
 fit for the production of small grain, (moderate
 ridges) timber Oak, Sugar tree, Poplar, Aspen,
 Hickory, Walnut, marked the trees by the plan

North Between Sect. No. 14 & 15

- 12.84 a White Oak 12 ins. dia
 16.00 a stream 10 lbs. wide, runs E. but little water
 28.53 a Maple 9 ins. dia (in a gutter)
 31.40 an Aspen 14 ins. dia. on a bushy ridge
 80.00 a post from which a White Oak 12 ins. dia.
 bears N 23 E 37 lbs. dis. & a Dogwood 5
 " S 7 1/2 W 66 lbs. dis. This mile 3^d rate land
 moderate ridges, the timber for the last 1/2 mile
 generally killed with fire, & covered most intolerably
 with briars & other under brush

South Between Sect. No. 22 & 23

- 9.73 a Black Oak 14 ins. dia (brushy & poor timber)
 17.35 a tall Black Oak 26 ins. dia. on a ridge, torn
 by lightning but living
 25.00 the junction of two small water courses bears
 East, no water.

S. 7 R. 3 W. 1st Mer

- 33.80 a Hickory 9 ins. dia. on a high ridge
 42.50 Hogan creek 150 yds. wide but little water, bears
 S 15 W. gentle current
 58.50 a deep gutter with abundance of fine building
 stones in it
 80.00 a post, this mile all ridges, generally well
 timbered with Oak, Aspen, Hickory, Sugar tree
 & much brush & briars - land 3rd rate fit for
 small grain, though rather too much broken

West Between Sec. 110. 24 & 25

- 3.7 a Maple 8 ins. dia
 10.00 a Water course 8 yds. wide bears S. no water
 21.64 a White Oak 8 ins. dia. from the post the land
 moderately level, fit for farming, much briars
 and saplings
 53.71 a Gum 18 ins. dia. the ridge descends West
 63.00 the channel of Wilson creek bears S 30 E, 25 yds.
 wide, but little water
 70.5 a White Oak 30 ins. dia
 80.00 a post from which a White Oak 11 ins. dia. bears
 S 30 E 26 yds. dia. & a White Oak 36 " " "
 South 42 yds. dia. This mile good 3rd rate land
 generally level, proper for the production of
 small grain, timber generally White Oak, Hickory,
 Gum, Maple &c. many saplings & green briars

West Between Sec. 110. 23 & 24

- 18.36 a Maple 7 ins. dia
 21.13 a Water course 5 yds. wide bears S 15 E, no water
 48.63 a W. Oak 30 ins. dia. in flat brushy land
 69.33 a W. Oak 12 ins. dia. on a small ridge
 79.9 Intersects the line run from corner of Sections
 no. 10. 11. 14 & 15, 69 yds. South of the measure
 here fixed a post corner of Sec. No. 22. 23. 26 &
 27. from which a White Oak 9 ins. dia. bears

S 73° W 14½ lbs. dis. & a White Oak 8 ins. dia. bears
 N 53° E - 30½ lbs. dis. - This mile all large
 ridges & ruts land, would produce small grain.
 with abundance of pine timber - as before enu-
 merated - Marked the trees by the plan

West Between Sec. No. 22 & 27

- 5.25 East Bank of Flicks creek 50 lbs. wide, bears
 S 36° W, but little water, has a stony channel,
 (from the put down a steep bank)
- 13.00 Top of a ridge
- 18.35 a Hickory 15 ins. dia
- 41.50 a rich bottom with an abundance of Sugar trees
- 47.50 a branch of Flicks creek 50 lbs. wide, bears N 6° E
 but little water, stony channel
- 63.70 a put on the Indian boundary, between Sec. No.
 22 & 27 Township No. 7 - from which a Gum
 26 ins. dia. bears N 73° E 46 lbs. & a White Oak
 18 " " " S 66° W 15 lbs. dis. From the
 put, the land much broken, one continuation of
 ridges, except a small bottom, the land & ruts too
 much broken for farming land, Timber generally
 White Oak, some Poplar & Sugar tree,
 marked the trees by the plan

North Between Sec. No. 26 & 27

- 2.25 a deep gutter
- 5.81 a W. Oak 36 ins. dia - on a large ridge
- 10.50 a deep gutter
- 16.50 " " "
- 21.00 N. bank of Flicks creek 100 lbs. wide, runs S 25° E
- 27.00 S. bank of same creek bears S 45° W, from thence
 over a steep hill to a
- 40.00 a deep gutter
- 53.59 a Sugar tree 11 ins. dia
- 59.46 a Water course 8 lbs. wide bears W. no water

T. 7 R. 3 W. 1. Mer

- 75.84 an Oak 30 ins. dia. on a large ridge
 80.00 a post, from which a Sugar tree 5 ins. dia. bears
 N. 79 W 33 lbs. dia. & a White Oak 10 ins. dia. bears
 S 91 E 41 lbs. dia. This mile exceedingly broken
 3^d rate land, all ridges & deep gutters, generally
 White Oak timber, some Sugar tree, so broken
 it is unfit for cultivation - from the post
 N 65 E 86 lbs. dia. is a large Indian mound

South Between Sections No. 34 & 35

- 11.98 an Elm 12 ins. dia
 25.50 a low narrow bottom
 35.70 N. Bank of Chick's creek 175 lbs. wide runs N 60 E
 65.00 The creek has continued near the line on the E.
 here bears off more East
 65.63 Capt. Kilbip road bearing E 7 W on N. side
 of a hill
 80.00 a post - This mile exceedingly broken 3^d
 rate land, timbered as the preceding

Surveyed by

Benjamin Chambers D. Sur.
October 1860Subdivisions of 2 mile blocks in
T. No. 7 R. No. 3 W. of Mer.

- North On Random between Sec. No. 11 & 12
 40.00 Set the temp. $\frac{1}{4}$ sec. post
 80.00 Set temp. centre post - Level 3^d rate land.
 Oak, Hickory, Maple Dog wood, Sassafras,
 Briers & an intolerable thicket

North Continue between Sec. No. 1 & 2

- 40.00 Set temp. $\frac{1}{4}$ sec. post
 77.66 Set 100 lbs. West of post corner of Sec. No. 1 & 2
 Level 3^d rate land - W & B. Oak, Hickory &
 maple - Dog wood Sassafras & green briars

South Corrected between Sec. No. 1412 & set temp. $\frac{1}{4}$ sec. post at average dis. on true line

Corrected between Sec. No. 11412 & set temp. $\frac{1}{4}$ sec. post at average dis. on true line

East From corner of Sec. No. D. 3. 10 & 10
on Random between Sec. No. 2 & 11

6.47 Fells creek 30 lbs. wide runs South
40.00 Set temp. $\frac{1}{4}$ sec. post

80.40 To N. & S. line - D. rate, moderate ridges,
W. Oak, Hickory, Gum & Maple, Dogwood &

East Continued East

40.00 Set temp. $\frac{1}{4}$ sec. post

81.52 Fell 3.57 lbs. North of post corner of Sec. No.
1412 - Land & timber as above

West Corrected between Sec. No. 1412 & set $\frac{1}{4}$ sec.
post at average distance from which a Maple
7 ins. dia. bears N 67.30° E 24 lbs. dis. & a Sweet
gum 20 ins. dia. bears S 61° W 8 lbs. dis.
Continued West on true line & fell 99 lbs. S.
of temp. post, moved it to centre corner of
Sec. No. 1. D. 11412 where a Hickory 18 ins. dia.
bears N 32° E 10 lbs. dis. & a B. Oak 17 ins. dia. bears
S 30° W 29 lbs. dis.

South Traveled South between Sec. No. 11412 &
set $\frac{1}{4}$ sec. post to average distance from which
a W. Oak 15 ins. dia. bears S 58° E 60 lbs. dis. & a
Do. 17 ins. dia. bears S 26° W 53 lbs. dis.

North Traveled North between Sec. No. 1412 & set
 $\frac{1}{4}$ sec. post at average distance from which
a W. Oak 27 ins. dia. bears N 88° W 44 lbs. dis.

S. 7 R. 3 W. 1st Mer.

4a Hickory 8 ins. dia. bears S 72° E 15 lbs. dis

West From centre between Sec. No. 24 114 set $\frac{1}{4}$ sec. post at average distance on true line, from which a W. Oak 13 ins. dia. bears S 35° W 37 lbs. dis. & a W. Oak 5 " " " N 34° E 31 lbs. dis.

Continued to corner of Sec. No. 23. 10411

West Having no post to run to proceeded to run & blaze between Sec. No. 3 & 10

30.81 To Indian boundary - Set post from which a Hickory 5 ins. dia. bears S 57° E 10 lbs. dis. & a Logwood 4 " " " N 86° W 14 " "

Level 3rd rate land. W & R. Oak, Hickory, aspen Maple, Logwood, green briars & Spice

West Having no post to run to proceeded to run & blaze between Sec. No. 15 & 22

27.04 a Water course 5 lbs. wide runs South

54.41 To Indian boundary - Set post from which a W. Oak 10 ins. dia. bears N 76° E 23 lbs. dis. & a W. Oak 30 " " " N 61° W 28 " "

Level 3rd rate land - W & B. Oak, Hickory, aspen Logwood, Passiflora & Briars -

East On Random between Sec. No. 14 & 23

24.20 To Hick's creek 150 lbs. wide, runs S 20° E

40.00 Set temp. $\frac{1}{4}$ sec. post

64.59 a Water course 5 lbs. wide, runs S. E.

80.00 Set temp. centre post - Level 3rd rate, W & B. Oak, Hickory, Gum, Aspen, Logwood &c.

East Continued East between Sec. No. 13 & 24

22.37 a Water course 10 lbs. wide, runs S. W.

40.00 Set temp. $\frac{1}{4}$ sec. post

S. 7 R. 3 W. 1st Mer.

87.71 Fell 34 lbs. North of post corner of Sec. No.
13 & 24 - Land & timber as before

West Corrected between Sec. No. 13 & 24 & set temp.
 $\frac{1}{4}$ sec. post at average distance on true line

Corrected between Sec. No. 14 & 23 & set temp.
 $\frac{1}{4}$ sec. post at average distance on true line

South From corner of Sec. No. 11. 12. 13 & 14

On Random between Sec. No. 13 & 14

9.55 a Water course 16 lbs. wide runs West
40.00 Set the temp. $\frac{1}{4}$ sec. post

79.55 To E & W. line - Level 3rd rate land, B. W. Oak,
Hickory, Maple, Dogwood, Passapoa, Spice,
pines not a few a tremendous thicket

South Continued South

18.61 a Water course 8 lbs. wide runs East
40.00 Set temp. $\frac{1}{4}$ sec. post

80.86 Fell 96 lbs. East of post corner of Sec. No.
23. 24. 25 & 26 - Level 2nd rate land, Oak,
Hickory, Gum, Dogwood & green pines. —

North Corrected between Sec. No. 23 and set $\frac{1}{4}$
sec. post at average distance on true line, from
which a W. Oak 24 ins. dia. bears $\text{N } 23^{\circ} \text{ W } 8$ lbs. dis
& a B. Oak 16 ins. dia. bears $\text{N } 41^{\circ} \text{ E } 53$ lbs. dis.
Continued on true line & fell 100 lbs. East of
post moved it to centre corner of Sec. No 13. 14.
23 & 24 from which a B. Oak 15 ins. dia. bears
 $\text{N } 36^{\circ} \text{ E } 12$ lbs. dis. a B. Gum 6 ins. dia. bears
 $\text{N } 86^{\circ} \text{ W } 9$ lbs. dis

East Traveled East between Sec. No. 13 & 24 and
moved $\frac{1}{4}$ sec. post to average distance, from

S. 4 R. 3 W. 1. Mer.

which a Hickory 13 ins. dia. bears S³ W 22 lbs.
 dis. 9 a Do 6 " " " N 4 E 38 lbs. dis

West Shovelled West between Sec. No. 14 & 23
 & moved $\frac{1}{4}$ sec. post to average distance from
 which a Hickory 13 ins. dia. bears N⁵ W 13
 lbs. dis. 1 a Red Oak 36 ins. dia. bears N⁴ E
 15 lbs. dist.

North From centre between Sec. No. 13 & 14 and set
 $\frac{1}{4}$ sec. post at average distance, from which
 a maple 13 ins. dia. bears N⁴ E 32 lbs. dis. &
 a W. Oak 16 " " " S⁵ E 38 " "
 Continued to corner of Sec. No. 11. 12. 13. 14

North On Random between Sec. No. 35 & 36
 40.00 Set temp. $\frac{1}{4}$ sec. post
 80.00 Set temp. centre post - Level 3rd rate land, W.
 Oak, Bush, Maple, Gum, Dogwood, Amurad
 & green briars &c.

Continued between Sec. No. 25 & 26
 15.30 a Water course 10 lbs. wide, runs N. E.
 18.10 Same 9 " " " N. W.
 19.51 Same 12 " " " N 12 E
 34.89 a Do 4 " " " East
 40.00 Set the temp. $\frac{1}{4}$ sec. post
 63.44 a Water course 10 lbs. wide, runs East
 80.34 Set 33 lbs. West of post corner of Sec. 23 & 24
 25 & 26 - Level 3rd rate land, timber as above

South Corrected between Sec. No. 25 & 26 & set temp.
 $\frac{1}{4}$ sec. post at average dis. on true line

Corrected between Sec. No. 35 & 36 & set temp.
 $\frac{1}{4}$ sec. post at average distance on true line

East From corner of Sec. No. 26. 27. 34 735
on Random between Sec. No. 26 735
40.00 Set the temp. $\frac{1}{4}$ sec. post
49.55 a Water course 5 lbs. wide runs North
78.12 a " " " " " "
80.38 To N & S. line - Level 2nd rate land. W. Oak,
Michigan, Beech, Maple, Dogwood & Spruce

East Continue East
26.50 a Water course 5 lbs. wide runs North
35.55 a " " " " " "
40.00 Set the temp. $\frac{1}{4}$ sec. post
58.45 a branch of Hick's creek 50 lbs. wide, runs S. E.
80.84 Set 102 lbs. North of post corners of Sec. No.
25 & 36 - Land & timber - as before

West Corrected between Sec. No. 25 & 36 and set
 $\frac{1}{4}$ sec. post at average distance, from which
a W. Oak 6 ins. dia. bears $N 12^{\circ} W$ 27 lbs. dis.
& a Dogwood 3 ins. dia. bears $N 71^{\circ} E$ 24 lbs. dis.
Continue West on true line & fell 68 lbs.
North of post - moved it to centre corner
of Sec. No. 25. 26. 35 & 36 - from which
a W. Oak 30 ins. dia. bears $N 30^{\circ} W$ 24 lbs. dis.
& a Dogwood 5 " " " $S 56^{\circ} E$ 8 $\frac{1}{2}$ " "

North Traveled North between Sec. No. 25 & 26 and
set $\frac{1}{4}$ sec. post at average distance from which a
Spanish Oak 12 ins. dia. bears $N 49^{\circ} W$ 52 $\frac{1}{2}$ lbs.
dis. & a Sugar 11 " " " $S 50^{\circ} E$ 14 lbs. dis.

South Traveled South between Sec. No. 35 & 36 & set
 $\frac{1}{4}$ sec. post at average distance from which a
Sweet Gum 32 ins. dia. bears $N 49^{\circ} E$ 53 lbs. dis. &
a Red Oak 12 " " " $N 49^{\circ} W$ 10 " "

Y. & R. 3 W. 1st Mer.

West From centre on true line between Sec. (No. 26 & 35 & set $\frac{1}{4}$ sec. post at average distance from which a W. Oak 12 ins. dia. bears S 74.30° W 17 lbs. dis. & a W. Oak 16 ins. dia. bears N 52° E 7 lbs. dis

Continued West to corner of Sec. No. 26. 27. 34 and 35. Saturday 5th Oct.

West Having no post to run to proceeded to run & blaze between Sec. No. 27 & 34

28.00 Thickets creek 80 lbs. wide runs S 20° E

36.06 a Water course 8 lbs. wide runs South between two great hills

49.65 a Water course 8 lbs. wide runs S.E. between two great hills

74.62 To Indian Boundary set post from which a W. Oak 20 ins. dia. bears S 9° E 8 lbs. dis. & a Poplar 15 " " " N 17° W 23 " "

Extremely hilly, Oak, Sugar Hickory, Logwood Ironwood, Spice &c.

North Having no fixed post to run to proceeded to run & blaze between Sec. No. 33 & 34

7.05 a Water course 10 lbs. wide runs North

24.62 a " " 8 " " " West

36.33 To Indian Boundary - set post from which a Sycamore 15 ins. dia. bears S 70° W 29 lbs. dis.

& a Sugar 7 " " " N 73° E 26 " "

Willy, Irate land, W. Oak, Gum, Ash, Elm, Hickory, Ironwood & Spice

1805-Surveyed by Benjamin Chambers D. S.

T. 7 R. 3 W. 1st Mer.

347

Certify that the foregoing Transcript
of the field notes of Township No. 7 Range
No. 3 West of the 1st Mer. has been compared
with the original in this office and found
to be correct

Surveyor General's Office
Cincinnati, Feb. 10. 1841

E. D. Cairnes
L. J. Smith